A Fuzzy Inventory System with Deteriorating Items under Supplier Credits Linked to Ordering Quantity

LIANG-YUH OUYANG¹, JINN-TSAIR TENG² AND MEI-CHUAN CHENG³ ¹Department of Management Sciences and Decision Making ³Graduate Institute of Management Sciences Tamkang University Tamsui, Taipei Hsien, 251 Taiwan ²Department of Marketing and Management Sciences The William Paterson University of New Jersey Wayne, New Jersey 07470-2103, U.S.A.

The inventory problem associated with trade credit is a popular topic in which interest income and interest payments are important issues. Most studies related to trade credit assume that the interest rate is both fixed and predetermined. However, in the real market, many factors such as financial policy, monetary policy and inflation, may affect the interest rate. Moreover, within the environment of merchandise storage, some distinctive factors arise which ultimately affect the quality of products such as temperature, humidity, and storage equipment. Thus, the rate of interest charges, the rate of interest earned, and the deterioration rate in a real inventory problem may be fuzzy. In this paper, we deal with these three imprecise parameters in inventory modeling by utilizing the fuzzy set theory. We develop the fuzzy inventory model based on Chang et al.'s [1] model by fuzzifying the rate of interest charges, the rate of interest earned, and the deterioration rate into the triangular fuzzy number. Subsequently, we discuss how to determine the optimal ordering policy so that the total relevant inventory cost, in the fuzzy sense, is minimal. Furthermore, we show that Chang et al.'s [1] model (the crisp model) is a special case of our model (the fuzzy model). Finally, numerical examples are provided to illustrate these results.

Keywords: inventory, deteriorating item, delay payments, fuzzy set, signed distance

1. INTRODUCTION

The fuzzy set theory is developed for solving the phenomenon of fuzziness prevalent in the real world. Up to this point, the fuzzy set theory has been widely applied in many fields, such as applied science, medicine and inventory management. The application of fuzzy set concepts in inventory models have been proposed by many researchers. Pertrovic and Sweeney [2] fuzzified the demand, lead time and inventory level into triangular fuzzy numbers in an inventory control model, and then determined the order quantity with the fuzzy propositions method. Yao *et al.* [3] investigated the Economic Lot Scheduling Problem (ELSP) with fuzzy demands. They used the 'Independent Solution' as well as the 'Common Cycle' approach to solve the fuzzy ELSP problem. Yao *et al.* [4] presented a fuzzy inventory system without the backorder model in which both the order quantity and the total demand were fuzzified as the triangular fuzzy numbers. Chang [5] discussed the Economic Order Quantity (EOQ) model with imperfect quality

Received December 25, 2007; revised May 8 & August 20 & October 27, 2008; accepted November 20, 2008. Communicated by Chin-Teng Lin.

items by applying the fuzzy sets theory, and proposed the model with both a fuzzy defective rate and a fuzzy annual demand. Chang *et al.* [6] considered the mixture inventory model involving variable lead time with backorders and lost sales. They fuzzified the random lead-time demand to be a fuzzy random variable and the total demand to be the triangular fuzzy number. Based on the centroid method of defuzzification, they derived an estimate of the total cost in the fuzzy sense. Chen *et al.* [7] introduced a fuzzy economic production quantity model with defective products in which they considered a fuzzy opportunity cost, trapezoidal fuzzy cost and quantities in the context of the traditional production inventory model. Maiti [8] developed a multi-item inventory model with stock-dependent demand and two-storage facilities in a fuzzy environment (where purchase cost, investment amount and storehouse capacity are imprecise) under inflation and incorporating the time value of money. Other related articles on this topic can be found in work by Chen and Wang [9], Vujosevic *et al.* [10], Gen *et al.* [11], Roy and Maiti [12], Ishii and Konno [13], Lee and Yao [14], Yao and Lee [15], Chang *et al.* [16], Chang *et al.* [17], Ouyang *et al.* [18], Yao *et al.* [19].

In today's business environment, trade credit plays an important role and the inventory problem associated with trade credit has become a popular topic in the inventory field. A supplier usually permits the retailer to delay in settling the total amount owed to them for a fixed period of time. Usually, interest does not begin accruing for the outstanding amount provided that it is paid within the permissible delay period. Therefore, the retailer can earn interest on the accumulated revenue received by deferring the payment until the last moment of this permissible period. Goyal [20] developed an EOQ model under conditions of permissible delay in payments, in which he calculated interest income based on the purchasing cost of goods sold within the permissible delay period. Beyond the permissible period, interest payments are calculated based on the purchasing cost of the goods not yet sold. Teng [21] amended Goyal's [20] model by calculating interest earned based on the selling price of goods sold. In Chang and Teng [22], the suppliers offer cash discounts or delay payment to retailers. Within the permissible delay period, retailers earn interest on sales revenue. Beyond the permissible period, interest is charged for the outstanding amount. Chang et al. [1] established an EOQ model for deteriorating items, in which the supplier provides a permissible delay to the purchaser if the order quantity is greater than or equal to a predetermined quantity. The retailer can obtain interest income within the permissible delay period. Beyond the permissible period, interest payments accrue for the goods not yet sold. There are many interesting and relevant articles related to trade credit, such as Davis and Gaither [23], Ouyang et al. [24, 25] and Teng et al. [26].

When discussing trade credit, interest income and interest payments are important issues. The above mentioned studies on trade credit assumed that the rate of interest charges, the rate of interest earned, and the deterioration rate are fixed and predetermined. However, in the real market, many factors may cause fluctuations in interest rates. For instance, the growth rate of the economy may affect the interest rate. When the economy is developing at a faster rate, the demand for capital is strong, which in return pushes up the interest rate. Conversely, during economic downturns, demand for capital declines and interest rates fall. Another factor influencing interest rates is the supply of money in the economy. When the supply of money is high, interest rates fall and when supply is low, interest rates rise. The third factor affecting interest rates is the interest rates in other

countries. Since money flows between nations, the differing interest rates between countries mutually influence each other. Therefore, the rate of interest charges and the rate of interest earned are unlikely to remain constant due to various uncertainties. Moreover, within the environment of merchandise storage, some distinctive factors arise which ultimately affect the quality of products such as temperature, humidity, and storage equipment. Therefore, in the real world, the inventory deterioration rate is not known with certainty. Amongst extended studies on this topic, only Chen and Ouyang [27] have treated interest rates as variable, wherein the authors extended the model of Jamal *et al.* [28] by fuzzifying the carrying cost rate, interest paid rate and interest earned rate simultaneously. Summarizing the above, we observe that the inventory problem associated with trade credit has yet to be fully explored and understood especially when interest rates fluctuate.

In order to fill this gap, this study tries to recast Chang *et al.*'s [1] model by further fuzzifying the rate of interest charges, the rate of interest earned, and the deterioration rate into the triangular fuzzy number. We construct three different intervals to include the rate of interest charges, the rate of interest earned, and the deterioration rate, thus deriving the fuzzy total relevant inventory cost. By the signed distance method of defuzzification, we derive the estimate of the total relevant inventory cost in the fuzzy sense. Further, we discuss how to determine the optimal ordering policy such that the total relevant inventory cost in the fuzzy sense is minimal. Finally, numerical examples are given to illustrate the solution procedure. This article is organized as follows. In section 2, we provide the preliminaries of fuzzy mathematics. In section 3, we introduce the inventory problem. A brief review of Chang et al.'s [1] model is included in section 3.1 and the fuzzy inventory model is provided in section 3.2. We then use the signed distance method of defuzzification to derive the estimate of the total relevant inventory cost in the fuzzy sense. In section 4, we obtain the optimal replenishment time interval and the optimal order quantity by minimizing the estimate of the total relevant inventory cost in the fuzzy sense. Several numerical examples are given to illustrate the results in section 5. In section 6, we discuss two problems of the proposed model. Finally, section 7 draws conclusions and suggests potential directions for future research.

2. PRELIMINARIES

In this section, some concepts of the fuzzy set theory are reviewed. We introduce three definitions, decomposition theorem and one property which we will use throughout this article.

Definition 1 For $0 \le \alpha \le 1$ and p < q, the fuzzy set $[p, q; \alpha]$ on *R* is called *a level* α *fuzzy interval* if the membership function of $[p, q; \alpha]$ is given by

$$\mu_{[p,q;\alpha]}(x) = \begin{cases} \alpha, & p \le x \le q; \\ 0, & \text{otherwise.} \end{cases}$$
(1)

Decomposition Theorem (see, Kaufmannan and Gupta [29])

Let \tilde{D} be a fuzzy set on R and $\tilde{D} \in F_s$, $0 \le \alpha \le 1$. The α -cut of \tilde{D} is $D(\alpha) = [D_L(\alpha), \alpha]$

 $D_U(\alpha)$]. Then, we have

$$\tilde{D} = \bigcup_{0 \le \alpha \le 1} \alpha D(\alpha), \tag{2}$$

or

$$\mu_{\tilde{D}}(x) = \bigvee_{0 \le \alpha \le 1} \alpha \cdot C_{D(\alpha)}(x), \tag{3}$$

where

(i) $\alpha D(\alpha)$ is a fuzzy set with membership function

$$\mu_{\alpha D(\alpha)}(x) = \begin{cases} \alpha, & x \in D(\alpha); \\ 0, & \text{otherwise.} \end{cases}$$

(ii) $C_{D(\alpha)}(x)$ is a characteristic function of $D(\alpha)$, that is,

$$C_{D(\alpha)}(x) = \begin{cases} 1, & x \in D(\alpha); \\ 0, & x \notin D(\alpha). \end{cases}$$

From the Decomposition Theorem and Eq. (2), we obtain

$$\tilde{D} = \bigcup_{0 \le \alpha \le 1} \alpha D(\alpha) = \bigcup_{0 \le \alpha \le 1} [D_L(\alpha), D_U(\alpha); \alpha],$$
(4)

or

$$\mu_{\tilde{D}}(x) = \bigvee_{0 \le \alpha \le 1} \alpha \cdot C_{D(\alpha)}(x) = \bigvee_{0 \le \alpha \le 1} \mu_{[D_L(\alpha), D_U(\alpha); \alpha]}(x).$$
(5)

For any *a*, *b*, *c*, *d*, $k \in R$, where a < b and c < d, the following definitions of the interval operations can be found in [29].

(i)
$$[a, b](+)[c, d] = [a + c, b + d].$$

(ii) $[a, b](-)[c, d] = [a - d, b - c].$
(iii) $k(\cdot)[a, b] = \begin{cases} [ka, kb], & k > 0; \\ [kb, ka], & k < 0. \end{cases}$
(6)

If $0 \le a < b$ and $0 \le c < d$, then

(iv) $[a, b](\cdot)[c, d] = [ac, bd].$

If $0 \le a < b$ and 0 < c < d, then

(v) $[a, b](\div)[c, d] = [a/d, b/c].$

Next, similar as Yao and Wu [30], we introduce the concept of the signed distance which will be needed later. We first consider the signed distance on R.

Definition 2 For any *a* and $0 \in R$, define the *signed distance* of *a* to 0 as $d_0(a, 0) = a$. If a > 0, implies that *a* is on the right-hand side of origin 0 with distance $a = d_0(a, 0)$; and if a < 0, implies that *a* is on the left-hand side of origin 0 with distance $-a = -d_0(a, 0)$; 0). So, we called $d_0(a, 0) = a$ is the signed distance of *a* to 0.

If $\tilde{D} \in F_s$, from Eq. (4), we have

$$\tilde{D} = \bigcup_{0 \le \alpha \le 1} [D_L(\alpha), D_U(\alpha); \alpha].$$
(7)

And for every $\alpha \in [0, 1]$, there is an one-to-one mapping between the level α fuzzy interval $[D_L(\alpha), D_U(\alpha); \alpha]$ and real interval $[D_L(\alpha), D_U(\alpha)]$, that is, the following correspondence is one-to-one mapping:

$$[D_L(\alpha), D_U(\alpha)] \leftrightarrow [D_L(\alpha), D_U(\alpha); \alpha].$$
(8)

We shall use this relation later.

From Definition 2, the signed distance of the left end point $D_L(\alpha)$ of the α -cut $[D_L(\alpha), D_U(\alpha)]$ of \tilde{D} to the origin 0 is $D_L(\alpha)$, and the signed distance of the right end point $D_U(\alpha)$ to the origin 0 is $D_U(\alpha)$. Their average, $1/2[D_L(\alpha) + D_U(\alpha)]$, is defined as the signed distance of α -cut $[D_L(\alpha), D_U(\alpha)]$ to 0, that is, we define the signed distance of the interval $[D_L(\alpha), D_U(\alpha)]$ to 0 as:

$$d_0([D_L(\alpha), D_U(\alpha)], 0) = \frac{1}{2} [d_0(D_L(\alpha), 0) + d_0(D_U(\alpha), 0)] = \frac{1}{2} [D_L(\alpha) + D_U(\alpha)].$$
(9)

Further, from Eqs. (8) and (9), the signed distance of level α fuzzy interval $[D_L(\alpha), D_U(\alpha); \alpha]$ to the fuzzy point $\tilde{0}$ can be defined as :

$$d([D_L(\alpha), D_U(\alpha); \alpha], \tilde{0}) = d_0([D_L(\alpha), D_U(\alpha)], 0) = \frac{1}{2}[D_L(\alpha) + D_U(\alpha)].$$
(10)

Thus, from Eqs. (7) and (10), we can define the signed distance of a fuzzy set $\tilde{D} \in F_s$ to $\tilde{0}$ as follows.

Definition 3 For $\tilde{D} \in F_s$, define the *signed distance* of \tilde{D} to $\tilde{0}$ as

$$d(\tilde{D},\tilde{0}) = \int_{0}^{1} d([D_{L}(\alpha), D_{U}(\alpha); \alpha], \tilde{0}) d\alpha = \frac{1}{2} \int_{0}^{1} [D_{L}(\alpha) + D_{U}(\alpha)] d\alpha.$$

Let $\tilde{D}, \tilde{E} \in F_{s}$, from Eq. (7), we have $\tilde{D} = \bigcup_{0 \le \alpha \le 1} [D_{L}(\alpha), D_{U}(\alpha); \alpha], \tilde{E} = \bigcup_{0 \le \alpha \le 1} [E_{L}(\alpha), D_{U}(\alpha); \alpha]$

 $E_U(\alpha)$; α], and from Eq. (8), we have the following one-to-one mapping: For every $\alpha \in [0, 1]$,

 $[D_L(\alpha), D_U(\alpha)] \leftrightarrow [D_L(\alpha), D_U(\alpha); \alpha],$ $[E_L(\alpha), E_U(\alpha)] \leftrightarrow [E_L(\alpha), E_U(\alpha); \alpha].$

236

Then, from Eq. (6), we have

$$[D_L(\alpha), D_U(\alpha)](+)[E_L(\alpha), E_U(\alpha)]$$

= $[D_L(\alpha) + E_L(\alpha), D_U(\alpha) + E_U(\alpha)] \leftrightarrow [D_L(\alpha) + E_L(\alpha), D_U(\alpha) + E_U(\alpha); \alpha].$

Therefore, from the Decomposition Theorem, we can get

$$\tilde{D}(+)\tilde{E} = \bigcup_{0 \le \alpha \le 1} [D_L(\alpha) + E_L(\alpha), D_U(\alpha) + E_U(\alpha); \alpha].$$
(11)

Similarly, we have

$$\tilde{k}(\cdot)\tilde{D} = \begin{cases} \bigcup_{0 \le \alpha \le 1} [kD_L(\alpha), kD_U(\alpha); \alpha], & k > 0; \\ \bigcup_{0 \le \alpha \le 1} [kD_U(\alpha), kD_L(\alpha); \alpha], & k < 0. \end{cases}$$
(12)

From the above discussion, we obtain the following property.

Property For
$$D, E \in F_s$$
, and $k \in R$,
(i) $d(\tilde{D}(+)\tilde{E}, \tilde{0}) = d(\tilde{D}, \tilde{0}) + d(\tilde{E}, \tilde{0})$.
(ii) $d(\tilde{k}(\cdot)\tilde{D}, \tilde{0}) = kd(\tilde{D}, \tilde{0})$. (13)

Proof: The proof can be easily obtained from Eq. (11) and Definition 3.

3. THE INVENTORY PROBLEM

To develop the proposed model, we adopt the following notation and assumptions used in Chang *et al.* [1].

Notation:

D: the demand per year *h*: the unit holding cost per year excluding interest charges *p*: the selling price per unit *c*: the unit purchasing cost, with c < p I_c : the interest charges per \$ in stocks per year by the supplier I_d : the interest charges per \$ per year *S*: the ordering cost per order *M*: the permissible delay in settling account (*i.e.*, the trade credit period) *Q*: the order quantity Q_d : the minimum order quantity at which the delay in payments is permitted T_d : the time interval that Q_d units are depleted to zero due to both demand and deterioration θ : the constant deterioration rate, where $0 \le \theta < 1$ I(t): the level of inventory at time $t, 0 \le t \le T$ T: the replenishment time interval

Z(T): the total relevant inventory cost per year

Assumptions:

- (1) The demand for the item is constant with time.
- (2) Shortages are not allowed.
- (3) Replenishment is instantaneous.
- (4) If the order quantity is less than Q_d , then the payment for the items received must be made immediately.
- (5) If the order quantity is greater than or equal to Q_d , then the delay in payments up to M is permitted. During the trade credit period the account is not settled, generated sales revenue is deposited in an interest bearing account. At the end of the permissible delay, the customer pays off all units ordered, and starts paying for the interest charges on the items in stocks.
- (6) Time horizon is infinite.

The total relevant inventory cost consists of (a) cost of placing orders, (b) cost of deteriorated units, (c) cost of carrying inventory (excluding interest charges), (d) cost of interest charges for unsold items at the initial time or after the permissible delay M, and (e) interest earned from sales revenue during the permissible period.

3.1 Review of Chang et al.'s Model

Under the above notation and assumptions, Chang *et al.* [1] considered the four cases: (1) $0 < T < T_d$, (2) $T_d \le T < M$, (3) $T_d \le M \le T$ and (4) $M \le T_d \le T$ and obtained the total relevant inventory cost per year as follows:

$$Z(T) = \begin{cases} Z_1(T), & \text{if } 0 < T < T_d; \\ Z_2(T), & \text{if } T_d \le T < M; \\ Z_3(T), & \text{if } T_d \le M \le T; \\ Z_4(T), & \text{if } M \le T_d \le T. \end{cases}$$

where

$$Z_{1}(T) = \frac{S}{T} - cD + \frac{D(h + c\theta + cI_{c})}{\theta^{2}T} (e^{\theta T} - 1) - \frac{D(h + cI_{c})}{\theta},$$
(14)

$$Z_{2}(T) = \frac{S}{T} - cD + \frac{D(h + c\theta)}{\theta^{2}T} (e^{\theta T} - 1) - \frac{hD}{\theta} - pI_{d}D(M - T/2),$$
(15)

$$Z_{3}(T) = \frac{S}{T} - cD + \frac{D(h+c\theta)}{\theta^{2}T} (e^{\theta T} - 1) - \frac{hD}{\theta} + \frac{cI_{c}D}{\theta^{2}T} [e^{\theta(T-M)} - 1] - \frac{cI_{c}D}{\theta T} (T-M) - \frac{pI_{d}D}{2T} M^{2},$$
(16)

and $Z_4(T)$ is the same as $Z_3(T)$, *i.e.*,

$$Z_4(T) = \frac{S}{T} - cD + \frac{D(h+c\theta)}{\theta^2 T} (e^{\theta T} - 1) - \frac{hD}{\theta} + \frac{cI_c D}{\theta^2 T} [e^{\theta(T-M)} - 1] - \frac{cI_c D}{\theta T} (T-M) - \frac{pI_d D}{2T} M^2.$$
(17)

3.2 The Fuzzy Inventory Model

In Chang et al.'s [1] model, the deterioration rate, the rate of interest charges, and the rate of interest earned are assumed to be constant. In a real-life inventory problem, however, it is not always easy to determine their values exactly. In most cases, it is likely they will have a little disturbance due to various uncertainties during the inventory period. First, we consider the deterioration rate near θ and fuzzify it as a triangular fuzzy number. From Yao *et al.* [19], we have the following concept: let $\theta - \Delta_1 < \theta < \theta + \Delta_2$ where θ is an any fixed point in $[\theta - \Delta_1, \theta + \Delta_2]$. Corresponding to the interval $[\theta - \Delta_1, \theta]$ $(+\Delta_2], \theta$ can be considered for fuzzification as the triangular fuzzy number $\tilde{\theta}$ in the following: a decision maker takes a point from the interval $[\theta - \Delta_1, \theta + \Delta_2]$, if the point is θ , the error between the point and fixed point θ is zero. Based on the confidence level concept; if the error is zero, then the confidence level is the maximum value and set to 1. If the point is taken from the interval $[\theta - \Delta_1, \theta)$, when the point moves away from θ , then the error between the point and θ becomes larger, *i.e.*, the confidence level becomes smaller. Moreover, if the point is equal to $\theta - \Delta_1$, the confidence level attains the minimum value and is thus set to 0. Similarly, if the point is taken from the interval (θ , θ + Δ_2], when the point moves away from θ , the confidence level becomes smaller. Moreover, if the point is equal to $\theta + \Delta_2$, the confidence level reaches 0. Therefore, corresponding to the interval $[\theta - \Delta_1, \theta + \Delta_2]$, the following triangular fuzzy number $\hat{\theta}$ is set.

$$\theta = (\theta - \Delta_1, \, \theta, \, \theta + \Delta_2), \tag{18}$$

where $0 < \Delta_1 < \theta$ and $0 < \Delta_2$. Therefore, we obtain the membership function of $\tilde{\theta}$

$$\mu_{\tilde{\theta}}(x) = \begin{cases} \frac{x - \theta + \Delta_1}{\Delta_1}, & \theta - \Delta_1 \le x \le \theta; \\ \frac{\theta + \Delta_2 - x}{\Delta_2}, & \theta \le x \le \theta + \Delta_2; \\ 0, & \text{otherwise}, \end{cases}$$
(19)

and the left and right end points of the α -cut of $\tilde{\theta}$, $0 \le \alpha \le 1$, are

$$\theta_L(\alpha) = \theta - (1 - \alpha)\Delta_1 > 0$$
, and $\theta_U(\alpha) = \theta + (1 - \alpha)\Delta_2 > 0$, (20)

respectively.

Let $y = g(x) = e^{x^T}$, and by extension principle in fuzzy set (see, Zimmermann [31]), we get the membership function of fuzzy set $g(\tilde{\theta}) = e^{\tilde{\theta}T}$ as follows:

$$\mu_{g(\tilde{\theta})}(y) = \sup_{y=e^{xT}} \mu_{\tilde{\theta}}(x) = \mu_{\tilde{\theta}}(\ln y/T) = \begin{cases} \frac{\ln y - T\theta + T\Delta_1}{T\Delta_1}, & e^{T(\theta - \Delta_1)} \le y \le e^{T\theta}; \\ \frac{T\theta + T\Delta_2 - \ln y}{T\Delta_2}, & e^{T\theta} \le y \le e^{T(\theta + \Delta_2)}; \end{cases}$$
(21)
0, otherwise,

and the left and right end points of the *a*-cut of $e^{\tilde{\theta}T}$, $0 \le \alpha \le 1$, are

$$(e^{\theta T})_L(\alpha) = e^{[\theta + (1-\alpha)\Delta_1]T}, \text{ and } (e^{\theta T})_U(\alpha) = e^{[\theta + (1-\alpha)\Delta_2]T},$$
 (22)

respectively.

We also fuzzify the rate of interest charges I_c as the following triangular fuzzy number

$$\vec{I}_c = (I_c - \Delta_3, I_c, I_c + \Delta_4),$$
(23)

where $0 < \Delta_3 < I_c$ and $0 < \Delta_4$. The left and right end points of the α -cut of \tilde{I}_c , $0 \le \alpha \le 1$, are

$$(I_c)_L(\alpha) = I_c - (1 - \alpha)\Delta_3 > 0, \text{ and } (I_c)_U(\alpha) = I_c + (1 - \alpha)\Delta_4 > 0,$$
(24)

respectively.

Further, we fuzzify the rate of interest earned I_d as the following triangular fuzzy number

$$\tilde{I}_d = (I_d - \Delta_5, I_d, I_d + \Delta_6), \tag{25}$$

where $0 < \Delta_5 < I_d$ and $0 < \Delta_6$. The left and right end points of the α -cut of \tilde{I}_d , $0 \le \alpha \le 1$, are

$$(I_d)_L(\alpha) = I_d - (1 - \alpha)\Delta_5 > 0, \text{ and } (I_d)_U(\alpha) = I_d + (1 - \alpha)\Delta_6 > 0,$$
(26)

respectively.

For convenience, we let

$$\begin{aligned} a_1 &= \frac{S}{T} - cD, \, a_2 = \frac{Dh}{T}, \, a_3 = \frac{Dc}{T}, \, a_4 = Dh + \frac{Dc}{T}, \, a_5 = Dc, \, a_6 = pD\left(M - \frac{T}{2}\right), \\ a_7 &= \frac{c(T - M)D}{T}, \, a_8 = \frac{pDM^2}{2T}, \, \tilde{P}_1 = e^{\tilde{\theta}T}(\div)\tilde{\theta}^2, \, \tilde{P}_2 = e^{\tilde{\theta}T}(\div)\tilde{\theta}, \, \tilde{P}_3 = \tilde{I}_c(\cdot)e^{\tilde{\theta}T}(\div)\tilde{\theta}^2, \\ \tilde{P}_4 &= \tilde{I}(\div)\tilde{\theta}^2, \, \tilde{P}_5 = \tilde{I}(\div)\tilde{\theta}, \, \tilde{P}_6 = \tilde{I}_c(\div)\tilde{\theta}^2, \, \tilde{P}_7 = \tilde{I}_c(\div)\tilde{\theta}, \, \tilde{P}_8 = \tilde{I}_d \text{ and } \tilde{P}_9 = \tilde{I}_c(\cdot)e^{\tilde{\theta}(T - M)} \\ (\div)\tilde{\theta}^2 \text{ and let } \tilde{a}_j \text{ be a fuzzy point at real number } a_j, j = 1, 2, \dots, 8. \end{aligned}$$

Then, contrast to Eqs. (14)-(17), we have the total relevant inventory costs per year in the crisp case and the corresponding fuzzy case as follows:

Case 1: $0 < T < T_d$

From Eq. (14), we let

$$g_{1}(I_{c},\theta;T) \equiv Z_{1}(T)$$

$$= \left(\frac{S}{T} - cD\right) + \frac{Dh}{T} \cdot \frac{e^{\theta T}}{\theta^{2}} + \frac{Dc}{T} \cdot \frac{e^{\theta T}}{\theta} + \frac{Dc}{T} \cdot \frac{I_{c}e^{\theta T}}{\theta^{2}} - \frac{Dh}{T} \cdot \frac{1}{\theta^{2}} - \left(Dh + \frac{Dc}{T}\right) \cdot \frac{1}{\theta}$$

$$- \frac{Dc}{T} \cdot \frac{I_{c}}{\theta^{2}} - Dc \cdot \frac{I_{c}}{\theta}$$

$$= a_{1} + a_{2} \cdot \frac{e^{\theta T}}{\theta^{2}} + a_{3} \cdot \frac{e^{\theta T}}{\theta} + a_{3} \cdot \frac{I_{c}e^{\theta T}}{\theta^{2}} - a_{2} \cdot \frac{1}{\theta^{2}} - a_{4} \cdot \frac{1}{\theta} - a_{3} \cdot \frac{I_{c}}{\theta^{2}} - a_{5} \cdot \frac{I_{c}}{\theta}.$$
(28)

Thus, the fuzzy total relevant inventory cost per year is

$$g_{1}(\tilde{I}_{c},\tilde{\theta};T) = \tilde{a}_{1}(+)(\tilde{a}_{2}(\cdot)\tilde{P}_{1})(+)(\tilde{a}_{3}(\cdot)\tilde{P}_{2})(+)(\tilde{a}_{3}(\cdot)\tilde{P}_{3})(-)(\tilde{a}_{2}(\cdot)\tilde{P}_{4})(-)(\tilde{a}_{4}(\cdot)\tilde{P}_{5}) (-)(\tilde{a}_{3}(\cdot)\tilde{P}_{6})(-)(\tilde{a}_{5}(\cdot)\tilde{P}_{7}).$$
(29)

Case 2: $T_d \le T < M$ From Eq. (15), we let

$$g_{2}(I_{d},\theta;T) \equiv Z_{2}(T)$$

$$= \left(\frac{S}{T} - cD\right) + \frac{Dh}{T} \cdot \frac{e^{\theta T}}{\theta^{2}} + \frac{Dc}{T} \cdot \frac{e^{\theta T}}{\theta} - \frac{Dh}{T} \cdot \frac{1}{\theta^{2}} - \left(\frac{Dc}{T} + Dh\right) \cdot \frac{1}{\theta} - \left(pD(M - \frac{T}{2})\right) I_{d}$$

$$= a_{1} + a_{2} \cdot \frac{e^{\theta T}}{\theta^{2}} + a_{3} \cdot \frac{e^{\theta T}}{\theta} - a_{2} \cdot \frac{1}{\theta^{2}} - a_{4} \cdot \frac{1}{\theta} - a_{6}I_{d}.$$
(30)

Then the fuzzy total relevant inventory cost per year is

$$g_{2}(\tilde{I}_{d},\tilde{\theta};T) = \tilde{a}_{1}(+)(\tilde{a}_{2}(\cdot)\tilde{P}_{1})(+)(\tilde{a}_{3}(\cdot)\tilde{P}_{2})(-)(\tilde{a}_{2}(\cdot)\tilde{P}_{4})(-)(\tilde{a}_{4}(\cdot)\tilde{P}_{5})(-)(\tilde{a}_{6}(\cdot)\tilde{P}_{8}).$$
(31)

Case 3: $T_d \le M \le T$

From Eq. (16), we let

$$\begin{split} g_{3}(I_{c}, I_{d}, \theta; T) &\equiv Z_{3}(T) \\ &= \left(\frac{S}{T} - cD\right) + \frac{Dh}{T} \cdot \frac{e^{\theta T}}{\theta^{2}} + \frac{Dc}{T} \cdot \frac{e^{\theta T}}{\theta} - \frac{Dh}{T} \cdot \frac{1}{\theta^{2}} - \left(\frac{Dc}{T} + Dh\right) \cdot \frac{1}{\theta} + \frac{Dc}{T} \cdot \frac{I_{c}e^{\theta(T-M)}}{\theta^{2}} \\ &\quad - \frac{Dc}{T} \cdot \frac{I_{c}}{\theta^{2}} - \frac{c(T-M)D}{T} \cdot \frac{I_{c}}{\theta} - \left(\frac{pDM^{2}}{2T}\right) \cdot I_{d} \\ &= a_{1} + a_{2} \cdot \frac{e^{\theta T}}{\theta^{2}} + a_{3} \cdot \frac{e^{\theta T}}{\theta} - a_{2} \cdot \frac{1}{\theta^{2}} - a_{4} \cdot \frac{1}{\theta} + a_{3} \cdot \frac{I_{c}e^{\theta(T-M)}}{\theta^{2}} - a_{3} \cdot \frac{I_{c}}{\theta^{2}} - a_{7} \cdot \frac{I_{c}}{\theta} - a_{8} \cdot I_{d} \end{split}$$
(32)

Then the fuzzy total relevant inventory cost per year is

$$g_{3}(\tilde{I}_{c}, \tilde{I}_{d}, \tilde{\theta}; T) = \tilde{a}_{1}(+)(\tilde{a}_{2}(\cdot)\tilde{P}_{1})(+)(\tilde{a}_{3}(\cdot)\tilde{P}_{2})(-)(\tilde{a}_{2}(\cdot)\tilde{P}_{4})(-)(\tilde{a}_{4}(\cdot)\tilde{P}_{5})(+)(\tilde{a}_{3}(\cdot)\tilde{P}_{9}) (-)(\tilde{a}_{3}(\cdot)\tilde{P}_{6})(-)(\tilde{a}_{7}(\cdot)\tilde{P}_{7})(-)(\tilde{a}_{8}(\cdot)\tilde{P}_{8}).$$
(33)

Case 4: $M \le T_d \le T$

Case 4 is the similar to case 3. Therefore, the fuzzy total relevant inventory cost per year is

$$g_{4}(\tilde{I}_{c}, \tilde{I}_{d}, \tilde{\theta}; T) = \tilde{a}_{1}(+)(\tilde{a}_{2}(\cdot)\tilde{P}_{1})(+)(\tilde{a}_{3}(\cdot)\tilde{P}_{2})(-)(\tilde{a}_{2}(\cdot)\tilde{P}_{4})(-)(\tilde{a}_{4}(\cdot)\tilde{P}_{5})(+)(\tilde{a}_{3}(\cdot)\tilde{P}_{9}) (-)(\tilde{a}_{3}(\cdot)\tilde{P}_{6})(-)(\tilde{a}_{7}(\cdot)\tilde{P}_{7})(-)(\tilde{a}_{8}(\cdot)\tilde{P}_{8}).$$
(34)

From Eqs. (20), (22), (24), (26) and (6), we obtain the left and right end points of the α -cut ($0 \le \alpha \le 1$) of fuzzy sets \tilde{P}_j (j = 1, 2, ..., 9) in Eq. (27) respectively as follows:

A FUZZY INVENTORY SYSTEM UNDER SUPPLIER CREDITS

$$(P_{1})_{L}(\alpha) = \frac{(e^{\theta T})_{L}(\alpha)}{[\theta_{U}(\alpha)]^{2}} = \frac{e^{[\theta - (1 - \alpha)\Delta_{1}]T}}{[\theta + (1 - \alpha)\Delta_{2}]^{2}}, (P_{1})_{U}(\alpha) = \frac{(e^{\theta T})_{U}(\alpha)}{[\theta_{L}(\alpha)]^{2}} = \frac{e^{[\theta + (1 - \alpha)\Delta_{2}]T}}{[\theta - (1 - \alpha)\Delta_{1}]^{2}}, (35)$$

$$(P_{2})_{L}(\alpha) = \frac{(e^{\theta T})_{L}(\alpha)}{\theta_{U}(\alpha)} = \frac{e^{[\theta - (1 - \alpha)\Delta_{1}]T}}{\theta + (1 - \alpha)\Delta_{2}}, (P_{2})_{U}(\alpha) = \frac{(e^{\theta T})_{U}(\alpha)}{\theta_{L}(\alpha)} = \frac{e^{[\theta + (1 - \alpha)\Delta_{2}]T}}{\theta - (1 - \alpha)\Delta_{1}}, (36)$$

$$(P_{3})_{L}(\alpha) = \frac{(I_{c})_{L}(\alpha)(e^{\theta T})_{L}(\alpha)}{[\theta_{U}(\alpha)]^{2}} = \frac{(I_{c} - (1 - \alpha)\Delta_{3})e^{[\theta - (1 - \alpha)\Delta_{1}]T}}{[\theta + (1 - \alpha)\Delta_{2}]^{2}},$$

$$(P_{3})_{U}(\alpha) = \frac{(I_{c})_{U}(\alpha)(e^{\theta T})_{U}(\alpha)}{[\theta_{L}(\alpha)]^{2}} = \frac{[I_{c} + (1 - \alpha)\Delta_{4}]e^{[\theta + (1 - \alpha)\Delta_{2}]T}}{[\theta - (1 - \alpha)\Delta_{1}]^{2}},$$
(37)

$$(P_4)_L(\alpha) = \frac{1}{[\theta_U(\alpha)]^2} = \frac{1}{[\theta + (1 - \alpha)\Delta_2]^2}, (P_4)_U(\alpha) = \frac{1}{[\theta_L(\alpha)]^2} = \frac{1}{[\theta - (1 - \alpha)\Delta_1]^2},$$
(38)

$$(P_{5})_{L}(\alpha) = \frac{1}{\theta_{U}(\alpha)} = \frac{1}{\theta + (1 - \alpha)\Delta_{2}}, (P_{5})_{U}(\alpha) = \frac{1}{\theta_{L}(\alpha)} = \frac{1}{\theta - (1 - \alpha)\Delta_{1}},$$
(39)

$$(P_{6})_{L}(\alpha) = \frac{(I_{c})_{L}(\alpha)}{[\theta_{U}(\alpha)]^{2}} = \frac{I_{c} - (1 - \alpha)\Delta_{3}}{[\theta + (1 - \alpha)\Delta_{2}]^{2}}, (P_{6})_{U}(\alpha) = \frac{(I_{c})_{U}(\alpha)}{[\theta_{L}(\alpha)]^{2}} = \frac{I_{c} + (1 - \alpha)\Delta_{4}}{[\theta - (1 - \alpha)\Delta_{1}]^{2}},$$
(40)

$$(P_7)_L(\alpha) = \frac{(I_c)_L(\alpha)}{\theta_U(\alpha)} = \frac{I_c - (1 - \alpha)\Delta_3}{\theta + (1 - \alpha)\Delta_2}, (P_7)_U(\alpha) = \frac{(I_c)_U(\alpha)}{\theta_L(\alpha)} = \frac{I_c + (1 - \alpha)\Delta_4}{\theta - (1 - \alpha)\Delta_1}, \quad (41)$$

$$(P_8)_L(\alpha) = (I_d)_L(\alpha) = I_d - (1 - \alpha)\Delta_5, (P_8)_U(\alpha) = (I_d)_U(\alpha) = I_d + (1 - \alpha)\Delta_6, \quad (42)$$

$$(P_{9})_{L}(\alpha) = \frac{(I_{c})_{L}(\alpha)[e^{\theta(T-M)}]_{L}(\alpha)}{[\theta_{U}(\alpha)]^{2}} = \frac{[I_{c} - (1-\alpha)\Delta_{3}]e^{[\theta - (1-\alpha)\Delta_{1}](T-M)}}{[\theta + (1-\alpha)\Delta_{2}]^{2}},$$

and

$$(P_{9})_{U}(\alpha) = \frac{(I_{c})_{U}(\alpha)[e^{\theta(T-M)}]_{U}(\alpha)}{[\theta_{L}(\alpha)]^{2}} = \frac{[I_{c} + (1-\alpha)\Delta_{4}]e^{[\theta + (1-\alpha)\Delta_{2}](T-M)}}{[\theta - (1-\alpha)\Delta_{1}]^{2}}.$$
 (43)

In order to calculate the signed distance of the fuzzy set \tilde{P}_j (j = 1, 2, ..., 9) in Eq. (27), we consider the following functions and let $Z = w + u(1 - \alpha)$, where $u \neq 0$,

$$K_{1}(w_{1}, u_{1}, w, u; n) = \int_{0}^{1} \frac{(w_{1} + u_{1}(1 - \alpha))^{n}}{w + u(1 - \alpha)} d\alpha = \frac{1}{u} \int_{w}^{w + u} (w_{1} - \frac{w}{u}u_{1} + \frac{u_{1}}{u}Z)^{n}/ZdZ$$
$$= \frac{1}{u} \left[(w_{1} - \frac{w}{u}u_{1})^{n} \ln \left| \frac{w + u}{w} \right| + \sum_{r=1}^{n} {n \choose r} (w_{1} - \frac{w}{u}u_{1})^{n-r} (\frac{u_{1}}{u})^{r} \frac{((w + u)^{r} - w^{r})}{r} \right], \text{ for } n \ge 1$$
(44)

where $\binom{n}{r} = \frac{n!}{r!(n-r)!};$

$$K_{2}(w_{1}, u_{1}, w, u; n) = \int_{0}^{1} \frac{(w_{1} + u_{1}(1 - \alpha))^{n}}{(w + u(1 - \alpha))^{2}} d\alpha = \frac{1}{u} \int_{w}^{w + u} (w_{1} - \frac{w}{u} u_{1} + \frac{u_{1}}{u} Z)^{n} / Z^{2} dZ$$

$$= \frac{1}{u} \left[(w_{1} - \frac{w}{u} u_{1})^{n} (\frac{1}{w} - \frac{1}{w + u}) + n (w_{1} - \frac{w}{u} u_{1})^{n - 1} (\frac{u_{1}}{u}) \ln \left| \frac{w + u}{w} \right| + \sum_{r=2}^{n} {n \choose r} (w_{1} - \frac{w}{u} u_{1})^{n - r} (\frac{u_{1}}{u})^{r} \frac{((w + u)^{r - 1} - w^{r - 1})}{r - 1} \right], \text{ for } n \ge 1,$$

$$(45)$$

$$K_{3}(w_{1}, u_{1}, w_{2}, u_{2}, w, u; n) = \int_{0}^{1} \frac{(w_{1} + u_{1}(1 - \alpha))(w_{2} + u_{2}(1 - \alpha))^{n}}{(w + u(1 - \alpha))^{2}} d\alpha$$

$$= \frac{1}{u} \int_{w}^{w + u} (w_{1} - \frac{w}{u} u_{1} + \frac{u_{1}}{u} Z)(w_{2} - \frac{w}{u} u_{2} + \frac{u_{2}}{u} Z)^{n} / Z^{2} dZ$$

$$= (w_{1} - \frac{w}{u} u_{1})K_{2}(w_{2}, u_{2}, w, u; n) + \frac{u_{1}}{u} K_{1}(w_{2}, u_{2}, w, u; n), \text{ for } n \ge 1.$$
(46)

Further, by using Taylor's formula, we have

$$e^{ax} \approx \sum_{m=0}^{N} \frac{1}{m!} a^m x^m$$
, as $|ax|$ is enough small,

where N is the positive integer which is decided by the decision-maker appropriately.

Therefore, from Eqs. (35)-(46) and using Taylor's formula, we get the signed distance of the fuzzy sets \vec{P}_j (j = 1, 2, ..., 9) (in Eq. (27)) as follows.

$$\begin{split} &d(\tilde{P}_{1},\tilde{0}) = \frac{1}{2} \int_{0}^{1} [(P_{1})_{L}(\alpha) + (P_{1})_{U}(\alpha)] d\alpha \\ &= \frac{1}{2} e^{\theta T} \int_{0}^{1} \left[\frac{e^{-(1-\alpha)\Delta_{1}T}}{(\theta + (1-\alpha)\Delta_{2})^{2}} + \frac{e^{(1-\alpha)\Delta_{2}T}}{(\theta - (1-\alpha)\Delta_{1})^{2}} \right] d\alpha \\ &\approx \frac{1}{2} \left[\sum_{m=0}^{N} \frac{(\theta T)^{m}}{m!} \right] \left[\sum_{m=0}^{N_{11}} \frac{T^{m}}{m!} \int_{0}^{1} \frac{(-(1-\alpha)\Delta_{1})^{m}}{(\theta + (1-\alpha)\Delta_{2})^{2}} d\alpha + \sum_{m=0}^{N_{12}} \frac{T^{m}}{m!} \int_{0}^{1} \frac{((1-\alpha)\Delta_{2})^{m}}{(\theta - (1-\alpha)\Delta_{1})^{2}} d\alpha \right] \\ &= \frac{1}{2} \left[\sum_{m=0}^{N} \frac{(\theta T)^{m}}{m!} \right] \left[\sum_{m=0}^{N_{11}} \frac{T^{m}}{m!} K_{2}(0, -\Delta_{1}, \theta, \Delta_{2}; m) + \sum_{m=0}^{N_{12}} \frac{T^{m}}{m!} K_{2}(0, \Delta_{2}, \theta, -\Delta_{1}; m) \right], (47) \\ &d(\tilde{P}_{2}, \tilde{0}) = \frac{1}{2} \int_{0}^{1} [(P_{2})_{L}(\alpha) + (P_{2})_{U}(\alpha)] d\alpha = \frac{1}{2} e^{\theta T} \int_{0}^{1} \left[\frac{e^{-(1-\alpha)\Delta_{1}T}}{\theta + (1-\alpha)\Delta_{2}} + \frac{e^{(1-\alpha)\Delta_{2}T}}{\theta - (1-\alpha)\Delta_{1}} \right] d\alpha \\ &\approx \frac{1}{2} \left[\sum_{m=0}^{N} \frac{(\theta T)^{m}}{m!} \right] \left[\sum_{m=0}^{N_{21}} \frac{T^{m}}{m!} \int_{0}^{1} \frac{(-(1-\alpha)\Delta_{1})^{m}}{\theta + (1-\alpha)\Delta_{2}} d\alpha + \sum_{m=0}^{N_{22}} \frac{T^{m}}{m!} \int_{0}^{1} \frac{((1-\alpha)\Delta_{2})^{m}}{\theta - (1-\alpha)\Delta_{1}} d\alpha \right] \\ &= \frac{1}{2} \left[\sum_{m=0}^{N} \frac{(\theta T)^{m}}{m!} \right] \left[\sum_{m=0}^{N_{21}} \frac{T^{m}}{m!} K_{1}(0, -\Delta_{1}, \theta, \Delta_{2}; m) + \sum_{m=0}^{N_{22}} \frac{T^{m}}{m!} K_{1}(0, \Delta_{2}, \theta, -\Delta_{1}; m) \right], (48) \end{split}$$

$$\begin{aligned} d(\tilde{P}_{3},\tilde{0}) &= \frac{1}{2} \int_{0}^{1} [(P_{3})_{L}(\alpha) + (P_{3})_{U}(\alpha)] d\alpha \\ &= \frac{1}{2} e^{\theta T} \int_{0}^{1} \left[\frac{(I_{c} - (1 - \alpha)\Delta_{3})e^{-(1 - \alpha)\Delta_{1}T}}{(\theta + (1 - \alpha)\Delta_{2})^{2}} + \frac{(I_{c} + (1 - \alpha)\Delta_{4})e^{(1 - \alpha)\Delta_{2}T}}{(\theta - (1 - \alpha)\Delta_{1})^{2}} \right] d\alpha \\ &\approx \frac{1}{2} \left[\sum_{m=0}^{N} \frac{(\theta T)^{m}}{m!} \right] \left[\sum_{m=0}^{N_{31}} \frac{T^{m}}{m!} \int_{0}^{1} \frac{(I_{c} - (1 - \alpha)\Delta_{3})(-(1 - \alpha)\Delta_{1})^{m}}{(\theta + (1 - \alpha)\Delta_{2})^{2}} d\alpha \right. \\ &+ \sum_{m=0}^{N_{32}} \frac{T^{m}}{m!} \int_{0}^{1} \frac{(I_{c} + (1 - \alpha)\Delta_{4})((1 - \alpha)\Delta_{2})^{m}}{(\theta - (1 - \alpha)\Delta_{1})^{2}} d\alpha \\ &= \frac{1}{2} \left[\sum_{m=0}^{N} \frac{(\theta T)^{m}}{m!} \right] \left[\sum_{m=0}^{N_{31}} \frac{T^{m}}{m!} K_{3}(I_{c}, -\Delta_{3}, 0, -\Delta_{1}, \theta, \Delta_{2}; m) \right. \\ &+ \sum_{m=0}^{N_{32}} \frac{T^{m}}{m!} K_{3}(I_{c}, \Delta_{4}, 0, \Delta_{2}, \theta, -\Delta_{1}; m) \right], \end{aligned}$$

$$d(\tilde{P}_{4}, \tilde{0}) = \frac{1}{2} \int_{0}^{1} [(P_{4})_{L}(\alpha) + (P_{4})_{U}(\alpha)] d\alpha$$

$$= \frac{1}{2} \int_{0}^{1} \frac{1}{(\theta + (1 - \alpha)\Delta_{2})^{2}} d\alpha + \frac{1}{2} \int_{0}^{1} \frac{1}{(\theta - (1 - \alpha)\Delta_{1})^{2}} d\alpha$$

$$= \frac{1}{2} K_{2}(1, 0, \theta, \Delta_{2}; 0) + \frac{1}{2} K_{2}(1, 0, \theta, -\Delta_{1}; 0),$$
(50)

$$d(\tilde{P}_{5}, \tilde{0}) = \frac{1}{2} \int_{0}^{1} [(P_{5})_{L}(\alpha) + (P_{5})_{U}(\alpha)] d\alpha$$

= $\frac{1}{2} \int_{0}^{1} \frac{1}{\theta + (1 - \alpha)\Delta_{2}} d\alpha + \frac{1}{2} \int_{0}^{1} \frac{1}{\theta - (1 - \alpha)\Delta_{1}} d\alpha$
= $\frac{1}{2} K_{1}(1, 0, \theta, \Delta_{2}; 0) + \frac{1}{2} K_{1}(1, 0, \theta, -\Delta_{1}; 0),$ (51)

$$d(\tilde{P}_{6}, \tilde{0}) = \frac{1}{2} \int_{0}^{1} [(P_{6})_{L}(\alpha) + (P_{6})_{U}(\alpha)] d\alpha$$

= $\frac{1}{2} \int_{0}^{1} \frac{I_{c} - (1 - \alpha)\Delta_{3}}{(\theta + (1 - \alpha)\Delta_{2})^{2}} d\alpha + \frac{1}{2} \int_{0}^{1} \frac{I_{c} + (1 - \alpha)\Delta_{4}}{(\theta - (1 - \alpha)\Delta_{1})^{2}} d\alpha$
= $\frac{1}{2} K_{2}(I_{c}, -\Delta_{3}, \theta, \Delta_{2}; 1) + \frac{1}{2} K_{2}(I_{c}, \Delta_{4}, \theta, -\Delta_{1}; 1),$ (52)

$$d(\tilde{P}_{7}, \tilde{0}) = \frac{1}{2} \int_{0}^{1} [(P_{7})_{L}(\alpha) + (P_{7})_{U}(\alpha)] d\alpha$$

= $\frac{1}{2} \int_{0}^{1} \frac{I_{c} - (1 - \alpha)\Delta_{3}}{\theta + (1 - \alpha)\Delta_{2}} d\alpha + \frac{1}{2} \int_{0}^{1} \frac{I_{c} + (1 - \alpha)\Delta_{4}}{\theta - (1 - \alpha)\Delta_{1}} d\alpha$
= $\frac{1}{2} K_{1}(I_{c}, -\Delta_{3}, \theta, \Delta_{2}; 1) + \frac{1}{2} K_{1}(I_{c}, \Delta_{4}, \theta, -\Delta_{1}; 1),$ (53)

a . 1

$$d(\tilde{P}_{8}, \tilde{0}) = \frac{1}{2} \int_{0}^{1} [(P_{8})_{L}(\alpha) + (P_{8})_{U}(\alpha)] d\alpha$$

= $\frac{1}{2} \int_{0}^{1} I_{d} - (1 - \alpha)\Delta_{5}d\alpha + \frac{1}{2} \int_{0}^{1} I_{d} + (1 - \alpha)\Delta_{6}d\alpha = I_{d} + \frac{1}{4} (\Delta_{6} - \Delta_{5}),$ (54)

and

$$\begin{aligned} d(\tilde{P}_{9},\tilde{0}) &= \frac{1}{2} \int_{0}^{1} [(P_{9})_{L}(\alpha) + (P_{9})_{U}(\alpha)] d\alpha \\ &= \frac{1}{2} e^{\theta(T-M)} \int_{0}^{1} \left[\frac{(I_{c} - (1-\alpha)\Delta_{3})e^{-(1-\alpha)\Delta_{1}(T-M)}}{(\theta + (1-\alpha)\Delta_{2})^{2}} + \frac{(I_{c} + (1-\alpha)\Delta_{4})e^{(1-\alpha)\Delta_{2}(T-M)}}{(\theta - (1-\alpha)\Delta_{1})^{2}} \right] d\alpha \\ &\approx \frac{1}{2} \left[\sum_{m=0}^{N} \frac{[\theta(T-M)]^{m}}{m!} \right] \left[\sum_{m=0}^{N_{41}} \frac{(T-M)^{m}}{m!} \int_{0}^{1} \frac{(I_{c} - (1-\alpha)\Delta_{3})(-(1-\alpha)\Delta_{1})^{m}}{(\theta + (1-\alpha)\Delta_{2})^{2}} d\alpha \right] \\ &+ \sum_{m=0}^{N_{42}} \frac{(T-M)^{m}}{m!} \int_{0}^{1} \frac{(I_{c} + (1-\alpha)\Delta_{4})((1-\alpha)\Delta_{2})^{m}}{(\theta - (1-\alpha)\Delta_{1})^{2}} d\alpha \right] \\ &= \frac{1}{2} \left[\sum_{m=0}^{N} \frac{[\theta(T-M)]^{m}}{m!} \right] \left[\sum_{m=0}^{N_{41}} \frac{(T-M)^{m}}{m!} K_{3}(I_{c}, -\Delta_{3}, 0, -\Delta_{1}, \theta, \Delta_{2}; m) \right] \\ &+ \sum_{m=0}^{N_{42}} \frac{(T-M)^{m}}{m!} K_{3}(I_{c}, \Delta_{4}, 0, \Delta_{2}, \theta, -\Delta_{1}; m) \right]. \end{aligned}$$

In Eqs. (47)-(49) and (55), N and N_{ij} (i = 1, 2, 3, 4 and j = 1, 2) are decided by the decision-maker appropriately.

Now, using Eqs. (47)-(55) and the property in section 2, we can defuzzify $g_1(\tilde{I}_c, \tilde{\theta}; T)$, $g_2(\tilde{I}_d, \tilde{\theta}; T)$, $g_3(\tilde{I}_c, \tilde{I}_d, \tilde{\theta}; T)$ and $g_4(\tilde{I}_c, \tilde{I}_d, \tilde{\theta}; T)$ in Eqs. (29), (31), (33) and (34), respectively and get the estimates of the total relevant inventory cost per year in the fuzzy sense as follows:

Case 1: $0 < T < T_d$

$$Z_1^*(T) = d(g_1(\tilde{I}_c, \tilde{\theta}; T), \tilde{0})$$

= $a_1 + a_2 d(\tilde{P}_1, \tilde{0}) + a_3 d(\tilde{P}_2, \tilde{0}) + a_3 d(\tilde{P}_3, \tilde{0}) - a_2 d(\tilde{P}_4, \tilde{0}) - a_4 d(\tilde{P}_5, \tilde{0})$ (56)
 $-a_3 d(\tilde{P}_6, \tilde{0}) - a_5 d(\tilde{P}_7, \tilde{0}).$

Case 2: $T_d \le T < M$

$$Z_{2}^{*}(T) \equiv d(g_{2}(\tilde{I}_{d}, \tilde{\theta}; T), \tilde{0})$$

= $a_{1} + a_{2}d(\tilde{P}_{1}, \tilde{0}) + a_{3}d(\tilde{P}_{2}, \tilde{0}) - a_{2}d(\tilde{P}_{4}, \tilde{0}) - a_{4}d(\tilde{P}_{5}, \tilde{0}) + a_{6}d(\tilde{P}_{8}, \tilde{0}).$ (57)

Case 3: $T_d \le M \le T$

$$Z_{3}^{*}(T) \equiv d(g_{3}(\tilde{I}_{c}, \tilde{I}_{d}, \tilde{\theta}; T), \tilde{0})$$

= $a_{1} + a_{2}d(\tilde{P}_{1}, \tilde{0}) + a_{3}d(\tilde{P}_{2}, \tilde{0}) - a_{2}d(\tilde{P}_{4}, \tilde{0}) - a_{4}d(\tilde{P}_{5}, \tilde{0}) + a_{3}d(\tilde{P}_{9}, \tilde{0})$
- $a_{3}d(\tilde{P}_{6}, \tilde{0}) - a_{7}d(\tilde{P}_{7}, \tilde{0}) - a_{8}d(\tilde{P}_{8}, \tilde{0}).$ (58)

Case 4: $M \le T_d \le T$

$$Z_4^*(T) = d(g_4(\tilde{I}_c, \tilde{I}_d, \tilde{\theta}; T), \tilde{0}) = Z_3^*(T).$$
(59)

4. THE OPTIMAL SOLUTION

In this section our objective is to determine the optimal values of T which minimize the total relevant inventory cost per year $Z_1^*(T)$, $Z_2^*(T)$, $Z_3^*(T)$ and $Z_4^*(T)$ for cases 1-4, respectively.

Case 1: $0 < T < T_d$

Solving $\frac{\partial}{\partial T} Z_1^*(T) = 0$, we get *T*, and then obtain $Q = \frac{D}{\theta} (e^{\theta T} - 1)$. Furthermore, we need to check whether $0 < T < T_d$ holds. If it does, then (T, Q) is indeed the optimal solution to case 1. We let $(T^*, Q^*) = (T, Q)$, and hence obtain Z_1^* from Eq. (56). Otherwise, there is no feasible solution for case 1.

Case 2: $T_d \leq T < M$

Solving $\frac{\partial}{\partial T} Z_2^*(T) = 0$, we get *T*, and then obtain $Q = \frac{D}{\theta} (e^{\theta T} - 1)$. Furthermore, we need to check whether $T_d \le T < M$ holds. If it does, then (T, Q) is indeed the optimal solution to case 2. We let $(T^*, Q^*) = (T, Q)$, and hence obtain Z_2^* from Eq. (57). Otherwise, there is no feasible solution for case 2.

Case 3: $T_d \le M \le T$

Solving $\frac{\partial}{\partial T} Z_3^*(T) = 0$, we get *T*, and then obtain $Q = \frac{D}{\theta} (e^{\theta T} - 1)$. Furthermore, we need to check whether $T_d \le M \le T$ holds. If it does, then (T, Q) is indeed the optimal solution to case 3. We let $(T^*, Q^*) = (T, Q)$, and hence obtain Z_3^* from Eq. (58). Otherwise, there is no feasible solution for case 3.

Case 4: $M \le T_d \le T$

Solving $\frac{\partial}{\partial T} Z_4^*(T) = 0$, we get *T*, and then obtain $Q = \frac{D}{\theta} (e^{\theta T} - 1)$. Furthermore, we need to check whether $M \le T_d \le T$ holds. If it does, then (T, Q) is indeed the optimal solution to case 4. We let $(T^*, Q^*) = (T, Q)$, and hence obtain Z_4^* from Eq. (59). Otherwise, there is no feasible solution for case 4.

5. NUMERICAL EXAMPLES

Several numerical examples are given to illustrate the above solution procedure. In order to compare the results with those obtained from the crisp case, we consider the data used in Chang *et al.* [1].

Example 1: Given D = 1000 units/year, h = \$4/unit/year, $I_c = 0.09/\$/\text{year}$, $I_d = 0.06/\$/$ year, c = \$20 per unit, p = \$30 per unit, $\theta = 0.03$, M = 30 days (0.082192 years) and $Q_d = 70$ units. In addition, we let $\Delta_1 = \Delta_2 = \Delta_3 = \Delta_4 = \Delta_5 = \Delta_6 = 0.0005$. We also consider S = 10, 20 and 30 per order and then get the computational results as shown in Table 1.

Table 1. The optimal solutions of example 1.

Ordering Cost	Replenishment Cycle	Economic Order Quantity	Total Relevant Cost	Increment
S	T^*	$Q(T^*)$	per Year $Z(T^*)$	$\delta(\%)$
10	0.055850	55.8966	$Z_1^*(T) = 437.042$	22.1237
20	0.078992	79.0861	$Z_2^*(T) = 411.392$	14.8610
30	0.093233	93.3630	$Z_3^*(T) = 528.699$	12.0313

Note: $\delta = \frac{\text{fuzzy annual total cost} - \text{crisp annual total cost}}{\text{crisp annual total cost}} \times 100\%$

Table 2. The optimal solutions of example 2	Table 2	The o	ptimal	solutions	of	example	: 2
---	---------	-------	--------	-----------	----	---------	-----

Min Order Quantity	Replenishment Cycle	Economic Order Quantity	Total Relevant Cost	Increment
Q_d	T^*	$Q(T^*)$	per Year $Z(T^*)$	$\delta(\%)$
80	0.085490	85.5997	$Z_3^*(T) = 522.429$	12.3938
90	0.088741	88.8589	$Z_1^*(T) = 769.686$	-
100	0.088741	88.8589	$Z_1^*(T) = 769.686$	13.9258
furrer	mmual total aget and	an annual total aget		

Note: $\delta = \frac{\text{fuzzy annual total cost} - \text{crisp annual total cost}}{\times 100\%}$ crisp annual total cost

Table 3. The optimized	ptimal solutions	of example 3.

		-	-	
Credit Period	Replenishment Cycle	Economic Order Quantity	Total Relevant Cost	Increment
M	T^*	$Q(T^*)$	per Year $Z(T^*)$	$\delta(\%)$
20	0.084933	85.0415	$Z_4^*(T) = 524.821$	13.5686
30	0.082572	82.6746	$Z_3^*(T) = 460.290$	13.2814
40	0.086315	86.4270	$Z_2^*(T) = 402.068$	15.2706

Note: $\delta = \frac{\text{fuzzy annual total cost} - \text{crisp annual total cost}}{100\%} \times 100\%$

crisp annual total cost

Example 2: Given D = 1000 units/year, h = 4/unit/year, $I_c = 0.09//year$, $I_d = 0.06//y/year$ year, c = \$30 per unit, p = \$40 per unit, $\theta = 0.03$, M = 30 days (0.082192 years) and S =30 per order. In addition, we let $\Delta_1 = \Delta_2 = \Delta_3 = \Delta_4 = \Delta_5 = \Delta_6 = 0.0005$. If $Q_d = 80, 90$ or 100 units, then $T_d = 0.079904$, 0.089879 or 0.099850 year. We have the computational results as shown in Table 2.

Example 3: Given D = 1000 units/year, $h = \frac{4}{\text{unit}/\text{year}}$, $I_c = 0.09/\frac{9}{\text{year}}$, $I_d = 0.06/\frac{9}{3}$ year, c = \$20 per unit, p = \$35 per unit, $\theta = 0.03$, S = 25 per order and $Q_d = 80$ units. In addition, we let $\Delta_1 = \Delta_2 = \Delta_3 = \Delta_4 = \Delta_5 = \Delta_6 = 0.0005$. Consequently, we obtain $T_d =$ 0.079904 year. If M = 20, 30 or 40 days, then we can easily obtain the optimal solutions as shown in Table 3.

Example 4: In this example, we let $\Delta^* = \Delta_1 = \Delta_3 = \Delta_5$, $\Delta^{**} = \Delta_2 = \Delta_4 = \Delta_6$ and S = 20 and consider several values of different (Δ^* , Δ^{**}). The remaining are the same as the values in Example 1 and the optimal solutions are summarized in Table 4.

Δ^{*}	Δ^{**}	Replenishment Cycle T*	Economic Order Quantity $Q(T^*)$	Total Relevant Cost per Year $Z(T^*)$	Increment $\delta(\%)$
0.0002	0.0003	0.079000	79.0931	$Z_2^*(T) = 371.406$	3.69690
	0.0002	0.079009	79.1026	$Z_2^*(T) = 366.677$	2.37656
	0.0001	0.079018	79.1118	$Z_2^*(T) = 362.981$	1.34463
0.0001	0.00015	0.079007	79.1007	$Z_2^*(T) = 361.476$	0.92443
	0.0001	0.079011	79.1050	$Z_2^*(T) = 360.291$	0.59358
	0.00005	0.079016	79.1092	$Z_2^*(T) = 359.368$	0.33588
0.00005	0.000075	0.079010	79.1036	$Z_2^*(T) = 358.990$	0.23034
	0.00005	0.079012	79.1056	$Z_2^*(T) = 358.695$	0.14798
	0.000025	0.079014	79.1076	$Z_2^*(T) = 358.465$	0.08376
0.000025	0.000025	0.079012	79.1058	$Z_2^*(T) = 358.296$	0.03658
0.000015	0.000015	0.079012	79.1058	$Z_2^*(T) = 358.210$	0.01256
0.000005	0.000005	0.079012	79.1058	$Z_2^*(T) = 358.168$	0.000838
0.000001	0.000001	0.079012	79.1058	$Z_2^*(T) = 358.163$	- 0.00056
0.0000005	0.0000005	0.079012	79.1058	$Z_2^*(T) = 358.163$	- 0.00056

Table 4. The optimal solutions of example 4 for different values of (Δ^*, Δ^{**}) .

Note: $\delta = \frac{\text{fuzzy annual total cost} - \text{crisp annual total cost}}{\text{crisp annual total cost}} \times 100\%$

The computational results in Table 1 reveal that a higher value of ordering cost implies a lower value for the difference between the total relevant inventory cost per year in the crisp and fuzzy model, but higher values of order quantity and replenishment cycle. Table 2 shows that a higher value of the minimum order quantity at which the delay in payments is permitted causes higher values of the difference between the total relevant inventory cost per year in the crisp and fuzzy model and the total relevant inventory cost, order quantity and replenishment cycle. Table 3 reveals that a higher value of the trade credit period implies a lower value of the total relevant inventory cost. From Table 4, we find that when $\Delta^* = \Delta^{**} \rightarrow 0$, the total relevant inventory cost in the fuzzy sense is getting closer to the crisp total relevant inventory cost in Chang *et al.* [1]. This phenomenon is discussed in section 6.2.

6. DISCUSSION

6.1 The Reasoning Behind the Choice to Defuzzify the Fuzzy Total Relevant Inventory Cost in Cases 1-4 by Using the Signed Distance Method Instead of the Centroid Method

If we use the centroid method to defuzzify the fuzzy set \tilde{A} , we obtain $C(\tilde{A}) = \int_{-\infty}^{\infty} x \mu_{\tilde{A}}(x) dx / \int_{-\infty}^{\infty} \mu_{\tilde{A}}(x) dx$ which implies we have to find the membership function of fuzzy set \tilde{A} first. However, in this paper, since the fuzzy sets of the fuzzy total relevant inventory cost in Eqs. (29), (31), (33), and (34) are obtained through complicated computational operators including (+), (-), (·), (÷), thus it is difficult to find their membership function by using the extension principle. Therefore we apply the signed distance method to defuzzify the fuzzy total relevant inventory cost.

6.2 The Reasoning Behind the Choice to Apply the Interval Operations Instead of the Standard Fuzzy Arithmetic Operations

Multiple-occurrence of same fuzzy parameters in a fuzzy function will cause a fuzzy number been overestimated or illegal when the standard fuzzy arithmetic is applied to solve the problem (see Chang [32]). In this paper, instead of the standard fuzzy arithmetic operations, we applied the interval operations to deal with our model. The interval operations are adopted by many researchers to handle complicated computation between fuzzy numbers (see Chang [5], Ouyang *et al.* [18] and Yao [19]).

6.3 The Relationship between the Fuzzy Case and the Crisp Case

From Eq. (44), we obtain

$$K_1(0, -b, \theta, b; 0) = \frac{1}{b} \ln(\frac{\theta+b}{\theta}) \to \frac{1}{\theta} \text{ as } b \to 0, \text{ and for } n \ge 1,$$

$$K_1(0, -b, \theta, b; n) = \theta^n \frac{1}{b} \ln\left|\frac{\theta+b}{\theta}\right| + \sum_{r=1}^n \binom{n}{r} \theta^{n-r} (-1)^r \frac{(\theta+b)^r - \theta^r}{br}.$$

Due to $\lim_{b \to 0} \frac{1}{b} \ln \left| \frac{\theta + b}{\theta} \right| = \frac{1}{\theta}$ and $\lim_{b \to 0} \frac{(\theta + b)^r - \theta^r}{b r} = \theta^{r-1}$, we get

$$\lim_{b \to 0} K_1(0, -b, \theta, b; n) = \theta^{n-1} \sum_{r=0}^n \binom{n}{r} (-1)^r = \theta^{n-1} (1-1)^n = 0.$$
(60)

Similarly, from Eqs. (45) and (46), we have

$$\lim_{b \to 0} K_2(0, -b, \theta, b; n) = \theta^{n-2} \sum_{r=0}^n \binom{n}{r} (-1)^r = 0,$$
(61)

and

$$\begin{split} K_3(I_c, -b, 0, -b, \theta, b; 0) &= K_2(I_c, -b, \theta, b; 1) \\ &= \frac{1}{b} \bigg[(I_c + \theta) \left(\frac{1}{\theta} - \frac{1}{\theta + b} \right) - \ln \left| \frac{\theta + b}{\theta} \right| \bigg] \rightarrow (I_c + \theta) \frac{1}{\theta^2} - \frac{1}{\theta} = \frac{I_c}{\theta^2} \text{ as } b \rightarrow 0, \end{split}$$

respectively.

Therefore, by Eqs. (60) and (61), we have

$$\begin{split} &\lim_{b\to 0} K_3(I_c, -b, 0, -b, \theta, b; n) \\ &= (I_c + \theta) \lim_{b\to 0} K_2(0, -b, \theta, b; n) - \lim_{b\to 0} K_1(0, -b, \theta, b; n) = 0, \text{ for } n \ge 1. \end{split}$$
(62)

Furthermore, when $\Delta_2 = \Delta_1 = b \rightarrow 0$, from Eqs. (47) and (61), (48) and (60), (50) and (61), (51) and (60), we obtain

$$\lim_{b \to 0} d(\tilde{P}_1, \tilde{0}) = \frac{e^{\theta T}}{\theta^2},$$

$$\lim_{b \to 0} d(\tilde{P}_2, \tilde{0}) = \frac{e^{\theta T}}{\theta},$$
(63)

$$\lim_{b \to 0} d(\tilde{P}_4, \tilde{0}) = \frac{1}{\theta^2},$$
(65)

and

$$\lim_{b \to 0} d(\tilde{P}_5, \tilde{0}) = \frac{1}{\theta}.$$
(66)

When $\Delta_1 = \Delta_2 = \Delta_3 = \Delta_4 = b$, from Eqs. (49), (55) and (62), we get

$$\lim_{b \to 0} d(\tilde{P}_3, \tilde{0}) = \frac{I_c e^{\theta T}}{\theta^2}, \tag{67}$$

and

$$\lim_{b \to 0} d(\tilde{P}_9, \tilde{0}) = \frac{I_c \ e^{\theta(T-M)}}{\theta^2}.$$
(68)

From Eqs. (44) and (45), we have

$$K_1(I_c, -b, \theta, b; 1) = \frac{1}{b} \left[(I_c + \theta) \ln \left| \frac{\theta + b}{\theta} \right| - b \right] \rightarrow \frac{(I_c + \theta)}{\theta} - 1 = \frac{I_c}{\theta} \text{ as } b \rightarrow 0$$
(69)

and

$$K_{2}(I_{c}, -b, \theta, b; 1) = \frac{1}{b} \left[(I_{c} + \theta) \left[\frac{1}{\theta} - \frac{1}{\theta + b} \right] - \ln \left| \frac{\theta + b}{\theta} \right| \right] \rightarrow \frac{(I_{c} + \theta)}{\theta^{2}} - \frac{1}{\theta} = \frac{I_{c}}{\theta^{2}} \text{ as } b \rightarrow 0.$$

$$(70)$$

When $\Delta_1 = \Delta_2 = \Delta_3 = \Delta_4 = b$, from Eqs. (52), (53) and (69), (70), we obtain

$$\lim_{b \to 0} d(\tilde{P}_6, \tilde{0}) = \frac{I_c}{\theta^2}$$
(71)

and

$$\lim_{b \to 0} d(\tilde{P}_7, \tilde{0}) = \frac{I_c}{\theta}.$$
(72)

When $\Delta_5 = \Delta_6 = 0$, from Eq. (54), we get

$$d(\tilde{P}_8, \tilde{0}) = I_d. \tag{73}$$

Combing the Eqs. (63)-(68), (71)-(73), (56)-(59), (28), (30) and (32), we get the following result.

When $\Delta_1 = \Delta_2 = \Delta_3 = \Delta_4 = b \rightarrow 0$ and $\Delta_5 = \Delta_6 = 0$, we have

$$\lim_{b \to 0} Z_j^*(T) = Z_j(T), \ j = 1, 2, 3, 4.$$
(74)

That is, when $\Delta_1 = \Delta_2 = \Delta_3 = \Delta_4 = b \rightarrow 0$ and $\Delta_5 = \Delta_6 = 0$, the fuzzy case is the same as the crisp case. Thus, a crisp case is the special situation of a fuzzy case.

7. CONCLUSION

Due to the various uncertainties that may occur in the context of the real-world inventory problem, the rate of interest charges, the rate of interest earned, and the deterioration rate may not remain constant. To deal with these uncertainties, we apply the fuzzy set theory based on Chang et al.'s [1] model. We construct three different intervals to include the rate of interest charges, the rate of interest earned, and deterioration rate and subsequently derive the fuzzy total relevant inventory cost. By utilizing the signed distance method of defuzzification, we derive the estimate of the total relevant inventory cost in the fuzzy sense. We also discuss how to determine the optimal ordering policy so that the total relevant inventory cost in the fuzzy sense is minimal. The optimal ordering policy is determined in a fuzzy environment which provides the decision maker with a deeper insight into the problem. Finally, some numerical examples are provided to illustrate the solution procedure. Table 4 shows that as the interval variation of the rate of interest charges, the rate of interest earned and the deterioration rate becomes sufficiently small, the fuzzy total relevant inventory cost per year becomes close to the crisp total relevant inventory cost per year. That is, the crisp model can be viewed as a special case of the fuzzy model. Future research on this problem may include additional sources of uncertainty in the fuzzy models, such as an uncertain demand rate.

ACKNOWLEDGEMENTS

The authors would like to gratefully express their appreciation to Professor Jing-Shing Yao, Emeritus Professor of National Taiwan University, and Professor Yun-Hwa Chiang, Professor of Ming Chuan University for their valuable and constructive comments to improve this paper and to the anonymous referees for their valuable and helpful insights and suggestions regarding an earlier version of the paper

REFERENCES

- C. T. Chang, L. Y. Ouyang, and J. T. Teng, "An EOQ model for deteriorating items under supplier credits linked to ordering quantity," *Applied Mathematical Modelling*, Vol. 27, 2003, pp. 983-996.
- D. Pertrovic and E. Sweeney, "Fuzzy knowledge-based approach to treating uncertainty in inventory control," *Computer Integrated Manufacturing Systems*, Vol. 7, 1994, pp. 147-152.
- M. J. Yao, P. T. Chang, and S. F. Huang, "On the economic lot scheduling problem with fuzzy demands," *International Journal of Operations Research*, Vol. 2, 2005, pp. 58-71.
- 4. J. S. Yao, S. C. Chang, and J. S. Su, "Fuzzy inventory without backorder for fuzzy quantity and fuzzy total demand quantity," *Computers and Operations Research*, Vol.

27, 2000, pp. 935-962.

- 5. H. C. Chang, "An application of fuzzy sets theory to the EOQ model with imperfect quality items," *Computers and Operations Research*, Vol. 31, 2004, pp. 2079-2092.
- H. C. Chang, J. S. Yao, and L. Y. Ouyang, "Fuzzy mixture inventory model involving fuzzy random variable lead-time demand and fuzzy total demand," *European Journal of Operational Research*, Vol. 169, 2006, pp. 65-80.
- S. H. Chen, S. T. Wang, and S. M. Chang, "Optimization of fuzzy production inventory model with repairable defective products under crisp or fuzzy production quantity," *International Journal of Operations Research*, Vol. 2, 2005, pp. 31-37.
- M. K. Maiti, "Fuzzy inventory model with two warehouses under possibility measure on fuzzy goal," *European Journal of Operational Research*, Vol. 188, 2008, pp. 746-774.
- S. H. Chen and C. C. Wang, "Backorder fuzzy inventory model under functional principle," *Information Sciences*, Vol. 95, 1996, pp. 71-79.
- 10. M. Vujosevic, D. Petrovic, and R. Petrovic, "EOQ formula when inventory cost is fuzzy," *International Journal of Production Economics*, Vol. 45, 1996, pp. 499-504.
- M. Gen, Y. Tsujimura, and P. Z. Zheng, "An application of fuzzy set theory to inventory control models," *Computers and Industrial Engineering*, Vol. 33, 1997, pp. 553-556.
- T. K. Roy and M. Maiti, "A fuzzy EOQ model with demand-dependent unit cost under limited storage capacity," *European Journal of Operational Research*, Vol. 99, 1997, pp. 425-432.
- 13. H. Ishii and T. Konno, "A stochastic inventory with fuzzy shortage cost," *European Journal of Operational Research*, Vol. 106, 1998, pp. 90-94.
- 14. H. M. Lee and J. S. Yao, "Economic order quantity in fuzzy sense for inventory without backorder model," *Fuzzy Sets and Systems*, Vol. 105, 1999, pp. 13-31.
- J. S. Yao and H. M. Lee, "Fuzzy inventory with or without backorder for fuzzy order quantity with trapezoid fuzzy number," *Fuzzy Sets and Systems*, Vol. 105, 1999, pp. 311-337.
- H. C. Chang, J. S. Yao, and L. Y. Ouyang, "Fuzzy mixture inventory model with variable lead-time based on probabilistic fuzzy set and triangular fuzzy number," *Mathematical and Computer Modeling*, Vol. 39, 2004, pp. 287-304.
- P. T. Chang, M. J. Yao, S. F. Huang, and C. T. Chen, "A genetic algorithm for solving a fuzzy economic lot-size scheduling problem," *International Journal of Production Economics*, Vol. 102, 2006, pp. 265-288.
- L. Y. Ouyang, K. S. Wu, and C. H. Ho, "Analysis of optimal vendor-buyer integrated inventory policy involving defective items," *International Journal of Ad*vanced Manufacturing Technology, Vol. 29, 2006, pp. 1232-1245.
- J. S. Yao, W. T. Huang, and T. T. Huang, "Fuzzy flexibility and product variety in lot-sizing," *Journal of Information Science and Engineering*, Vol. 23, 2007, pp. 49-70.
- S. K. Goyal, "Economic order quantity under conditions of permissible delay in payments," *Journal of the Operational Research Society*, Vol. 36, 1985, pp. 335-338.
- 21. J. T. Teng, "On the economic order quantity under conditions of permissible delay in payments," *Journal of the Operational Research Society*, Vol. 53, 2002, pp. 915-918.
- 22. C. T. Chang and J. T. Teng, "Retailer's optimal ordering policy under supplier cred-

its," Mathematical Methods of Operations Research, Vol. 60, 2004, pp. 471-483.

- 23. R. A. Davis and N. Gaither, "Optimal ordering policies under conditions of extended payment privileges," *Management Science*, Vol. 31, 1985, pp. 499-509.
- 24. L. Y. Ouyang, C. T. Chang, and J. T. Teng, "An EOQ model for deteriorating items under trade credits," *Journal of the Operational Research Society*, Vol. 56, 2005, pp. 719-726.
- L. Y. Ouyang, J. T. Teng, and L. H. Chen, "Optimal ordering policy for deteriorating items with partial backlogging under permissible delay in payments," *Journal of Global Optimization*, Vol. 34, 2006, pp. 245-271.
- J. T. Teng, C. T. Chang, and S. K. Goyal, "Optimal pricing and ordering policy under permissible delay in payments," *International Journal of Production Economics*, Vol. 75, 2005, pp. 121-129.
- L. H. Chen and L. Y. Ouyang, "Fuzzy inventory model for deteriorating items with permissible delay in payment," *Applied Mathematics and Computation*, Vol. 182, 2006, pp. 711-726.
- A. M. M. Jamal, B. R. Sarker, and S. Wang, "An ordering policy for deteriorating items with allowable shortage and permissible delay in payment," *Journal of Operations Research Society*, Vol. 48, 1997, pp. 826-833.
- 29. A. Kaufmann and M. M. Gupta, *Introduction to Fuzzy Arithmetic: Theory and Applications*, Van Nostrand Reinhold, New York, 1991, pp. 3-5.
- 30. J. S. Yao and K. Wu, "Ranking fuzzy numbers based on decomposition principle and signed distance," *Fuzzy Sets and Systems*, Vol. 116, 2000, pp. 275-288.
- 31. H. J. Zimmermann, *Fuzzy Set Theory and its Applications*, 3rd ed., Kluwer Academic Publishers, Dordrecht, 1996.
- 32. P. T. Chang, "Fuzzy strategic replacement analysis," *European Journal of Operational Research*, Vol. 160, 2005, pp. 532-559.



Liang-Yuh Ouyang (歐陽良裕) is a Professor in the Department of Management Sciences and Decision Making at Tamkang University in Taiwan. He earned his B.S. in Mathematical Statistics, M.S. in Mathematics and Ph.D. in Management Sciences from Tamkang University. His research interests are in the field of production/inventory control, probability and statistics. He has publications in Journal of the Operational Research Society, Computers and Operations Research, European Journal of Operational Research, Computers and Industrial Engineering, International Journal of Production Economics, IEEE Transac-

tions on Reliability, Production Planning and Control, Journal of the Operations Research Society of Japan, International Journal of Systems Science, Mathematical and Computer Modelling and Applied Mathematical Modelling.



Jinn-Tsair Teng (鄧進財) received a B.S. degree in Mathematical Statistics from Tamkang University, an M.S. degree in Applied Mathematics from National Tsing Hua University in Taiwan, and a Ph.D. in Industrial Administration from Carnegie Mellon University in U.S.A. He joined the Department of Marketing and Management Sciences at William Peterson University of New Jersey in 1992. His research interests include supply chain management and marketing research. He has published research articles in Management Sciences, Marketing Science, Journal of the Operational Research Society, Operations Research

Letters, Naval Research Logistics, European Journal of Operational Research, Applied Mathematical Modelling, Journal of Global Optimization, International Journal of Production Economics, and others.



Mei-Chuan Cheng (鄭美娟) is currently a Ph.D. student at Tamkang University in Taiwan. She received her M.B.A. degree in statistics from Tamkang University and a B.S. degree in Statistics from Fu Jen Catholic University. Her research interest lies in the field on the analysis of inventory system, probability and statistics. She has publications in International Journal of Information and Management Sciences, Yugoslav Journal of Operations Research, International Journal of Systems Science and TOP an Official Journal of the Spanish Society of Statistics and Operations Research.